(1990) 2, 141-147

Evaluation of Cancer-Associated Carbohydrate Antigen (NCC-ST-439) Measurement in Pure Pancreatic Juice Collected by Endoscopic Aspiration

Yasuhiro TAKEMORI*, Norio SAWABU, Hideki OHTA*, Yoshitake SATOMURA*

Hiroyuki WATANABE,* Osamu YAMAKAWA*, Hiroyasu KAWAKAMI*

Hisashi KIDANI**, Hirokazu TAKAHASHI*** and Tokio WAKABAYAHI****

The Department of Internal Medicine, Cancer Research Institute, Kanazawa University, Kanazawa, Japan*

The 1st Department of Internal Medicine, School of Medicine, Kanazawa University, Kanazawa, Japan**

The Department of Internal Medicine, Toyama City Hospital, Toyama, Japan***

The Department of Internal Medicine, Kanazawa National Hospital, Kanazawa, Japan****

(1990) 2, 317-322

Flow Cytometric Measurement of DNA Index and BrdUrd Labeling Index in Endoscopic Biopsy Specimens of Colorectal Carcinoma

Takeo KOSAKA, Toru II, Hisahi MATSUMOTO, Tetsuya ISHIDA, Shigeru TAKEGAWA Shigekazu OOYAMA, Toru KAMATA, Masahiro KANNO, Akio YAMAGUCHI, Yutaka YONEMURA Koichi NIWA and Itsuo MIYAZAKI

Second Deparament of Surgery, School of Medicine, Kanazawa University, Ishikawa, Japan

(1991) 3, 457-460

The Distribution of Helicobacter pylori in Human Gastric Mucosa in vivo

Yoshihiro KOHLI, Takuji KATO, Makoto IWAKI, Yukinao YAMAZAKI, Masanori HATA Kunio SUSUKI and Shigeji ITO

Second Department of Internal Medicine, Fukui Medical School, Fukui, Japan

(1992) 4, 37-49

A Gastrointestinal Endoscopic Study on Secondary Amyloidosis Complicating Rheumatoid Arthritis

Yutaka SHIMADA*, Hiroyori TOSA*, Katsutoshi TERASAWA *and Michio TANAKA**

Department of Japanese Oriental Medicine, School of Medicine, Toyama Medical and Pharmaceutical University, Toyama, Japan*

Third Department of Internal Medicine, School of Medicine, Toyama Medical and Pharmaceutical University, Toyama, Japan**

(1992) 4, 139-146

The Colon Mucus Test in Comparison with the Fecal Occult Blood Tset in the Detection of Gastrointestinal Disease

Hiroyuki WATANABE*, Ikurou MOURI*, Yasushi YAMAGUCHI*, Osamu YAMAKAWA* Hiroyasu KAWAKAMI*, Yoshitake SATOMURA*, Hideki OHTA*, Yoshiharu MOTOO* Takashi OKAI*, Masanori FUKUI** and Norio SAWABU*

The Department of Internal Medicine, Cancer Research Institute, Kanazawa University, Kanazawa, Japan* Kyowa Medex Company, Tokyo, Japan**

(1992) 4, 376-381

Helicobacter pylori Distribution in Human Gastric Mucosa with Chronic Atrophic Gastritis

Yoshihiro KOHLI, Takuji KATO, Shigeji ITO, Makoto IWAKI, Masanori HATA and Yukinao YAMAZAKI Second Department of Internal Medicine, Fukui Medical School, Fukui, Japan

(1993) 5, 33-37

Clinical Significance of Sterilization of Endoscopic Instruments

Yoshihiro KOHLI, Takuji KATO, Makoto IWAKI, Shigeji ITO, Yukinao YAMAZAKI and Masanori HATA Second Department of Internal Medicine, Fukui Medical School, Fukui, Japan

(1993) 5, 43-48

Significance of Helicobacter Pylori Infection in Human Peptic Ulcers

Yoshihiro KOHLI, Takuji KATO, Shigeji ITO, Makoto IWAKI, Kunio SUZUKI, Takashi UEDA Yoshimichi ABE and Kunihisa NISHIKAWA

Second Department of Internal Medicine, Fukui Medical School, Fukui, Japan

(1995) 7, 27-34

Diagnostic System for Helicobacter pylori Urease Based on a pH-sensitive Field Effect Transistor

Yoshihiro KOHLI*, Takuji KATO*, Shigeji ITO*, Hideo MIYAJI*, Takeshi AZUMA*,

Kumiko NAGATA**, Hitoshi TSURUTA***, Satomi MATSUI***, Keiko OKA*** and

Michihiro NAKAMURA***

Second Department of Internal Medicine, Fukui Medical School, Fukui, Japan*

The Department of Bacteriology, Hyogo College of Medicine, Hyogo, Japan**

Biosensor Research Laboratories Co., Ltd., Okayama, Japan***

(1995) 7, 215-219

Endoscopic Urease Sensor System for Detecting Helicobacter pylori on Gastric Wall Using a pH-sensitive Field Effect Transistor

Yoshihiro KOHLI*, Takuji KATO*, Shigeji ITO*, Hideo MIYAJI*, Takeshi AZUMA*,

Hitoshi TSURUTA**, Satomi MATSUI**, Keiko OKA** and Michihiro NAKAMURA**

Second Department of Internal Medicine, Fukui Medical School, Fukui, Japan*

Biosensor Research Laboratories Co., Ltd., Okayama, Japan**

(1995) 7, 240-246

Endoscopically Resected Colorectal Sessile Tumors with Nodular Surface Aggregates

Kunihisa NISHIKAWA*, Yoshihiko HIRAI*, Masaru MATSUMURA*, Hiroyuki YAMAMOTO*,

Toshio MATSUSHITA*, Toshihiro KUSAKA**, Shigetake TOYOOKA**, Mitsuo KAWASE**,

Sakae MUKAINO**, Humiaki SATOH***, Yuki HIROSE***, Masato NOGUTI****,

Humio KONISHI**** and Yoshihiro KOHLI*****

Department of Gastroenterology, Fukui Red Cross Hospital, Fukui, Japan*

Department of Internal Medicine, Fukui Red Cross Hospital, Fukui, Japan**

Department of Surgery, Fukui Red Cross Hospital, Fukui, Japan***

Department of Radiology, Fukui Red Cross Hospital, Fukui, Japan****

Department of Pathology, Fukui Red Cross Hospital, Fukui, Japan*****

Second Department of Internal Medicine, Fukui Medical School, Fukui, Japan*****

(1995) 7, 379-385

Expression of Tumor-Associated Antigens on Gastric Biopsy Materials

Hiroyuki WATANABE, Osamu YAMAKAWA, Yoshitake SATOMURA,

Hideki OHTA, Yoshiharu MOTOO, Takashi OKAI and Norio SAWABU

The Department of Internal Medicine, Cancer Research Institute, Kanazawa University, Kanazawa, Japan

(1996) 8, 5-13

Endosonographic Staging of Gastric Carcinoma: Factors influencing accuracy

Yildiran SONGÜR*, Takashi OKAI*, Tomoharu FUJI*, Hiroyuki WATANABE*, Yoshiharu MOTOO* Akishi OOI**, Masayoshi MAI*** and Norio SAWABU*

Department of Internal Medicine, Cancer Research Institute, Kanazawa University, Kanazawa, Japan*
Department of Pathology, Cancer Research Institute, Kanazawa University, Kanazawa, Japan**
Department of Surgery, Cancer Research Institute, Kanazawa University, Kanazawa, Japan***

(1996) 8, 112 -115

Gastric Emptying and Gastroesophageal Reflux in Patients Fed via Percutaneous Endoscopic Gastrostomy: Effects of Erythromycin

Shigehiko OGAWA, Katsuyuki KOICHI, Hiroaki TAKIMOTO, Tokio WAKABAYASHI, Yukimitsu KAWAURA and Yohei TOFUKU

Division of Gastroenterology, Ishikawa-ken Saiseikai Kanazawa Hospital, Kanazawa, Japan

(1996) 8, 139 -146

A New Instrument for Measurement of Gastrointestinal Mucosal Color

Michio TANAKA*, Yasuaki KIDOH**, Masayuki KAMEI**, Teiichi TERASAKI*,

Akiharu WATANABE*, Takashi SAKAMOTO*** and Masao FUJIMAKI***

Third Department of Internal Medicine* and Second Department of Internal Medicine, Toyama Medical and Pharmaceutical University, Toyama, Japan***

Department of Electronic Engineering, Toyama Natinal College of Technology, Toyama, Japan**

(1997) 9, 283-289

A Trial of ¹³C-urea Breath Test Combined with Endoscopic Phenol Red Test for Detection of Helicobacter pylori Infection

Hiroyuki SUTO*, Takeshi AZUMA, Shigeji ITO, Yoshiyuki ITO, Hideki MIYAJI,

Yukinao YAMAZAKI, Fukiko HIRANO, Masaru KURIYAMA and Yoshihiro KOHLI**

Second Department of Internal Medicine, Fukui Medical School, Fukui, Japan*

Department of Internal Medicine, Aiseikai Yamashina Hospital, Kyoto, Japan**

(2000) 12, 136-140

Retrospective study of endoscopic findings: 250 cases of gastric cancer

Osamu Hosokawa*, Yasuharu Kaizaki**, Takakiyo Nakaya*, Tetsuya Hinoshita*,

Kunishige Watanabe*, Kenji Douden* and Hiroyuki Hayashi*

Department of Surgery* and Pathology**, Fukui Prefectural Hospital, Fukui, Japan

(2002) 14, 53-6

Three-dimensional endoscopic ultrasonography for the assessment of early gastric carcinoma invasion: could it provide diagnostic innovations?

Eman A. Sabet*, Takashi Okai*, Toshinari Minamoto**, Masayoshi Mai***: and Norio Sawabu*

Department of Internal Medicine and Medical Oncology*

Division of Molecular Diagnostic Pathology** and

Department of Surgical Oncology, Cancer Research Institute, Kanazawa University, Kanazawa, Japan***

(1990) 2, 414-423

Evaluation of Esophago-gastric Varices with Endoscopic Ultrasonography

Takeshi URABE, Manabu YONESHIMA, Yoshiyasu OIKO, Yutaka INAGAKI, Shuichi KANEKO Masashi UNOURA, and Ken-ichi KOBAYAHI

First Department of Internal Medicine, School of Medicine, Kanazawa University, Ishikawa, Japan

(1991) 3, 90-94

Minute Rectal Cancer Associated with Nodular Involvement – A Case Study –

Takahito OHTA*, Masayoshi MAI, Tomomi OGINO, Yuri KIDA, Toshinari MINAMOTO,

Yutaka TAKAHASHI, Kiyoshi SAWAGUCHI, Shigeru JINKAWA** and Yoshiaki YASAUDA

The Department of Surgery, Cancer Research Institute, Kanazawa University, Ishikawa, Japan* Yasuda Medical Hospital, Ishikawa, Japan**

(1993) 5, 94-101

A Case of Cytomegalovirus-Induced Gastric Lesions

Yoshihisa ISHIURA*, Hiroyuki WAKABAYASHI*, Michio TANAKA*,

Masahide IGARASHI*, Takao ANDO*, Teiichi TERASAKI*, Kazuhiko OKADA*,

Takashi TSUKISHIRO*, Yoshihide NAKAYAMA, Jun FUNAKI, Tsuyoshi BANDO*,

Syuji INATSUCHI*, Akiharu WATANABE* and Eikichi OKADA**

The Third Department of Internal Medicine, Toyama Medical and Pharmaceutical University, Toyama, Japan*
The First Department of Pathology, Toyama Medical and Pharmaceutical University, Toyama, Japan**

(1995) 7, 266-270

Efficacy of Endoscopic Prosthesis in T4 Cancer of the Intrathoracic Esophagus

Akira YAMADA, Yoshito KUROKI, Takashi SAKAMOTO, Iwao YAMASHITA, Naoki NOMURA Mitsukazu SAITO, Tetsuro SHIMIZU, Kenji TAZAWA and Masao FUJIMAKI

Third Department of Surgery, Faculty of Medicine, Toyama Medical and Pharmaceutical University, Toyama, Japan

(1996) 8, 38-40

Efficacy of Endoscopic Esophageal Variceal Ligation in an Immunocompromised Host

Takahiro ZENDA, Takaharu MASUNAGA, Yasuo TAKEDA and Hiroshi MABUCHI

Second Department of Internal Medicine, School of Medicine, Kanazawa University, Kanazawa, Japan

(1999) 11, 70-75

Large Duodenal Tumor with Positive K-ras Mutation Mi m icking Lateral Spreading Tumor of the Colon — A Case Report

Hiromi TAGA*, Hiroyuki WATANABE, Yasushi YAMAGUCHI, Kohshiro OHTSUBO, Aiguli HA Yu-Xin HU, Yoshiharu MOTOO, Takashi OKAI, Masayuki MIZOGUCHI**, Masayoshi MAI Atsuhiro KAWASHIMA*** and Norio SAWABU*

Department of Internal Medicine and Medical Oncology*

Department of Surgery**

Department of Pathology, Cancer Research Institute, Kanazawa University, Kanazawa, Japan***

(1999) 11, 246-249

Small cell Carcinoma of the Gallbladder Arising in a Patient with Pancreaticobiliary Maljunction without Bile Duct Dilatation

Seiji SAITO*, Yoshinari ATARASHI*, Akiharu WATANABE* and Masanobu KITAGAWA**

Third Department of Internal Medicine* and

First Department of Pathology, Toyama Medical and Pharmaceutical University, Toyama, Japan**

(2000) 12, 181-185

Case report of trichobezoar causing gastric perforation

Yoshito Kuroki*, Shunyou Otagiri*, Takashi Sakamoto**, Kazuhiro Tsukada**, And Michio Tanaka***

Department of Surgery, Kamioka Town Hospital, Kamioka* and

Second Department Surgery** and

Department of Endoscopy, Toyama Medical and Pharmaceutical University, Toyama, Japan***

(2000) 12, 335-337

Vanishing tumor of the stomach: sequential endoscopic and endosonographic features

Eman A Sabet*, Yoshiharu Motoo*, Takashi OKAI*, Yasushi Yamaguchi*, Hiroyuki Watanabe* Shin Nagao** and Norio Sawabu*

Department of Internal Medicine and Medical Oncology, Cancer Research Institute, Kanazawa

University, Kanazawa* and

Department of Surgery, Himi Municipal Hospital, Toyama, Japan**

(2001) 13, 33-36

Solitary pedunculated gastric gland heterotopia treated by endoscopic polypectomy: Report of a case

Kazuo Kitabayashi*, Yumiko Tanaka*, Hitoshi Saitoh*, Keiichi Ueno*, Takeo Kosaka*, Ichiroh Kita* Shigeki Takashima* and Yoshimichi Ueda**

Departments of Sugery II * and

Pathology II, Kanazawa Medical University, Ishikawa, Japan**

(2004) 16, 71-73

Endoscopic transpapillary abscess drainage for a patient with giant pyogenic liver abscess

Hiroyuki Hayashi, Osamu Hosokawa, Kenji Dohden and Masakazu Hattori

Department of Surgery, Fukui Prefectural Hospital, Fukui, Japan

(2004) 16, 169-171

Chronic ischemic lesions of the colon caused by phlebosclerosis of ileocolic mesenteric vein

Genichi Nishimura*, Noboru Nagai*, Itasu Ninomiya*, Hirohisa Kitagawa*, Takashi Fujimura*

Masato Kayahara*, Tetsuo Ohta*, Koichi Miwa* and Akio Nonomura**

Gastroenterologic Sugery, Division of Cancer Medicine, Graduate School of Medical Science* and Pathology Section, Kanazawa University, Ishikawa, Japan**

(2004) 16, 244-248

Epidermoid cyst of the intrapancreatic accessory spleen producing CA19-9

Hiroyuki Watanabe*, Yasushi Yamaguchi*, Koushiro Ohtsubo*, Hisatsugu Mouri*, Yoshiharu Motoo*

Kaname Yamashita**, Toshinari Minamoto**, Toshifumi Gabata*** and Norio Sawabu*

Department of Internal Medicine and Medical Oncology*

Department of Surgical Oncology, Cancer Research Institute, Kanazawa University** and

Department of Radiology, Kanazawa University, Graduate School of Medical Science, Kanazawa, Japan***

Proceedings •

(2000) 12, S2-S6

Proceedings of the first Endoscopy Forum Japan

Broadening of the indications for endoscopic surgery: upper gastrointestinal tract

Shuji Inatsuchi

Department of gastroenterology, Toyama Red Cross Hospital, Toyama, Japan

(2007) 19, S2-S4

Proceedings of the first Endoscopy Forum Japan 2006

Risk management for sedation in endoscopic submucosal dissection

Mutsuko Naruse* and Shuji Inatsuchi**

Departments of Anesthesiology* and Gastroenterology, Toyama Red Cross Hospital, Toyama, Japan**